


If construction traffic cannot be avoided within the CRZ:

Critical Root Zone




Tree Protection Fence

Street tree protection (within 10' of work) shall consist of 6' tall chain-link fence to the extent of the tree box (min of 4' x 9') or the drip line in a planting strip.

Tree protection measures and excavations shall comply with the 2013 District Dept of Transportation Standard Specifications for Highways and Structures (Gold Book) - Sections 207.03, 608.07, and 608.08

- DC STANDARD NOTES:**
1. Parking is to be restricted 72 hours in advance in residential zones and 24 hours in advance in commercial.
 2. Signs shall be installed prior to the commencement of all work, and removed immediately after completion of activities.
 3. If a sign is no longer required it will be removed or covered.
 4. Signs must be FHWA Approved / NCHRP - 350 Rated.
 5. Signs shall be mounted on spring-loaded sign stands or devices that meet current crash test rating approval as indicated in the current MUTCD or by current FHWA Standards.
 6. For D.C., the spacing of traffic cones is to be 10', unless otherwise indicated by the agent or representative for DDOT authorized to approve TCP(s).
 7. Work Zones must adhere to the "Guidelines and Standards for Temporary Traffic Control" issued by DDOT, as well as the current "Manual on Uniform Traffic Control Devices (MUTCD)" and all its amendments that are issued by the Federal Highway Administration (FHWA).

Legend	
	Capital Bikeshare
	Metro Station
	Fire Hydrant
	Metro Bus Stop
	Springloaded Sign Stand
	Work Area
	Type III Barricade

	<p>Author: AP Project: 4200 block Connecticut Ave NW, Washington, DC Permittee: J Warren Walker & Sons, Inc. Design by: ACCUPERMIT, LLC accupermit.com 877-933-2228</p>
	<p>Comments: EMERGENCY WORK FOR WMATA: Use of UDC roadway and closure of crosswalk to excavate and replace water service in crosswalk, trenching to WMATA owned structure to restore water service into TPSS. Area enclosed with construction fencing 24-hrs a day until work is completed.</p>
	<p>Duration: 2 weeks - work to be completed from 8p-5a Drawing not to scale</p>

Andrew Pulsirisaroth
 ATSSA Traffic Control Supervisor
 Cert. #: 222862 Exp: 08/22/2020